

Most compact, 4K reliable and powerful Enterprise level Box-PC in its class




INDEPENDENT WATCHDOG TIMER

Commercial Grade Components 24/7

android 10

New



4K UPSCALING

60fps

CEC



COMPACT



AVSTORE

ARM Quad Core CPU

Quad Core 1.5GHz processor, ready to take on the most intensive apps you can develop.



External storage support

Storage expansion with external microSD cards up to 2TB. Expand storage with any of the supported microSD cards.

*2GB~2TB



Dual Band Wi-Fi

5G/2.4G Dual band wifi providing a stronger and further data transmission.

Small but MIGHTY







Smaller than ever




COMPACT



40% smaller




50% thinner



1. Power
2. USB 3.0

3. USB 2.0
4. HDMI 1.4

5. RJ45
6. Micro USB




7. Micro SD card Slot
8. Status LED



Vesa mounting

Vesa 75x75mm bracket mount included for quick and easy mounting on any compatible vesa mounts.



Technical Specifications		
Media	Video Playback Engine	H.264 4K*2K@60p, H.265 4K*2K@60p, MPEG-1/2/4, VC-1, AVS, AVS+
	Display Resolution	4K*2K(3840*2160)@60fps
	HDMI Output	1 x HDMI
	HDMI CEC	Yes
	Purpose-built Features	Remote Settings & Configuration
	Scheduled Power On/Off	Yes
	Fail-Safe Protection / Auto Recovery	Yes
	Administrative Password Protection	Yes
	APK / Content URL Auto Launch Support	Yes
	Remote Firmware / APK Update (OTA)	Yes
	Real-time clock (RTC)	Yes
	Watchdog Timer	Yes
	Beacon	Yes
	Supports transmitter mode	Yes

System	CPU	ARM Quad core Cortex - A53, 1.5GHz
	GPU	Mali-450MP2
	Auxiliary Audio out	USB output
	Memory	2GB, DDR4
	Storage	32GB
	Independent Watchdog	Yes
	Operating System	Android 10
I/O Interface	Ethernet	RJ45 (10/100 BASE-T)
	WLAN	802.11 a/b/g/n/ac
	USB	1 x USB 2.0 type A, 1 x USB 3.0 type A
	ADB	1 x Micro USB for ADB
	HDMI output	1 x HDMI
	Storage Expansion	1 x Micro SDXC slot, Max.:2TB
	Power input	1 x DC jack
	Reset Button	Yes
	LED Indicator	Yes
Power	Power Adapter	DC 5V/2A
Mechanical	Dimension (WxDxH)	127 x 66 x 18.5 (mm) / 5 x 2.6 x 0.73 (inch)
	Mounting	VESA mount bracket, 75 x 75 (mm)
Environment	Operating temperature	0°C - 60°C (32°F - 140°F)
	Storage temperature	-20°C - 70°C (-4°F - 158°F)
Certification	Certification	CE/FCC/RCM
Warranty		2 yrs

AVSTORE: A REAL VALUE-ADD TO AV DISTRIBUTION



Main Office

Viale Lombardia, 51/53
20861 Brugherio (MB) Italy

Contacts

Phone: +39.039.28.72.429
Email: enquiry@avstore.tv

Social

 www.facebook.com/AVstore.tv
 www.twitter.com/@AVstore_tv

shop.avstore.tv

