



UHD Signage UH5J-H

New High Haze UHD Standard Signage



Proper Display Brightness



Mobile Content Management




Meeting Room Solution

webOS Smart

Platform

UH5J-H					
Screen Size	98" / 86" / 75" / 65" / 55" / 49" / 43"				
Native Resolution	3,840 × 2,160 (UHD)				
Bezel Color	Black				
Brightness	500 nit (Typ.)				
Bezel	98" / 75" : 14.9 mm (Even bezel) 86" : 14.3 mm (Even bezel) 65" / 55" / 49" : 9.9 mm (T/R/L), 14.4 mm (B) 43" : 8.4 mm (T/R/L), 14.4 mm (B)				
Depth	98" : 86.1 mm 86" : 60.6 mm 75" : 57.9 mm 65" / 55" / 49" / 43" : 39.9 mm				



Appropriate Display Brightness

With a recommend brightness of 500 cd/m^2 for indoor display, the UH5J-H series clearly delivers content and attracts public attention, making it the most suitable display for marketing in meeting rooms, airports, retail, shopping malls, etc.

* Actual images available may differ from the example images shown.



High-Performance with webOS

LG webOS platform enhances user convenience with intuitive GUI and simple app development tools.



Conformal Coating

In various places the UH5J-H series is unable to avoid exposure to environments containing dust, humidity, etc. which may hamper performance over time. The conformal coating on power board reduces these risks by protecting UH5J-H series from salt, dust, iron powder, humidity, etc.

* Actual images (signage display) available may differ from the example images shown.



Mobile Content Management

You can create a store profile and get template recommendations using the Promota* app. Users can customize templates as needed and easily create and manage content not only on PCs but also on mobile devices.

* LG Promota is can be downloaded from the App Store and Google Play store. (Not available for Europe/CIS Region)

* In Korea, the name is not Promota, but Mustard.



IP5x Certified Design

The IP5x Dust-Proof Certification ensures that the product is protected from dust, reducing the risk of performance degradation.



Compatible with AV Control System

The UH5J-H series has supported Crestron Connected® for high compatibility with professional AV controls to achieve seamless integration and automated control*, boosting business management efficiency.

* Network based control

CONNECTIVITY

98" Side			RS-232C RS-232C OUT 6 7	Bottom				IR&LIGHT SENSOR
86" / 75" Side			RS-232C N O O O O O O O O O O O	Bottom				
65" / 55" / 49" , 목무	/ 43" HDMI IN 1 HDMI (КА@ООН)			DVI-D	IN IRELIGHT SENSOR		UDIO IN IN	
Ø	 D DP IN HDMI IN 3 	Ø DVI-DØ USB 2	2.0 IN	4 RS-232C OU AUDIO IN	B	10 LAN		•
	•	•	2.0 IN		Т			

* Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.



www.lg.com/global/business/information-display
 www.youtube.com/c/LGECommercialDisplay
 www.facebook.com/LGInformationDisplay
 www.linkedin.com/company/lginformationdisplay
 twitter.com/LG_lD_HQ

LG may make changes to specifications and product descriptions without notice. Copyright © 2022 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. The names of products and brands mentioned here may be the trademarks of their respective owners.

