

## Yealink UVC84-BYOD Meeting Kits for Medium and Large Rooms



Yealink UVC84-BYOD meeting kits are designed for medium and large rooms, providing excellent video and audio experience while with lower cost. Combined with 4K sensor and revolutionized new ID design, Yealink UVC84 USB camera provides a best ever video experience for your meeting. Featured 12x optical lossless zoom and 3x digital zoom, UVC84 reproduces every single detail in meeting room, which is perfectly fit for medium and large room. Furthermore, UVC84 covers a wide field of view of 80°, with mechanical pan, tilt that can be easily done either by remote control or Yealink camera control plug-in software. Either combine with MSpeech USB speakerphone or VCM34 array microphone and MSpeaker II, UVC84-BYOD kits are delivering best in class video and audio quality to all participants. All of that makes Yealink UVC84-BYOD kits the ideal choice for a truly collaborative, true-to-life communication in medium and large rooms.



### Key Features and Benefits

#### 4K Ultra HD video quality

UVC84 camera delivers 4K video output with excellent sharpness and smoothness, accurately reproducing every detail, color and therefore awarding you a vivid video experience.

#### HD zoom, large field of view

With 12x optical zoom, 3x digital zoom and 80° field of view, UVC84 can easily cover a medium or large meeting space. Everyone sitting in the meeting room can be clearly seen by the remote party.

#### Auto Framing

UVC84 camera aims to provide a better auto framing feature to free your hands from doing PTZ control and make you focus on your meeting.

#### Excellent Audio Experience

UVC84 camera integrates the audio feature in it as well. Perfectly working with the UVC84 camera, VCM34 array microphone combined with MSpeaker II soundbar is capable of providing a wonderful audio experience. You can also use MSpeech USB speakerphone as the audio device, awarding you a crystal voice experience.

#### Long Endurance

Capable of charging laptop via Type-C cable of BYOD box, this solution allows users to take a long meeting even without their own power adapters.

#### Easy and Flexible deployment

The complete mounting kits bring you a quick and flexible installation method, which allows you to either put UVC84 on the conference table or mount it on the top of TV, on the wall, on the ceiling, onto a TV stand or a tripod according to your needs.

- 4K video at 30 frames per second
- 12x optical zoom, 3x digital zoom, presenting crystal-clear video image
- Mechanical Pan, Tilt and Zoom
- Auto Framing feature, more intelligent meeting experience
- Smooth PTZ control by remote control or Yealink camera control plug-in
- Excellent audio experience
- Long endurance with BYOD box
- Easy to deploy

## Specifications

### Package A includes

- UVC84 Camera
- VCR20 Remote Control
- VCM34 Microphone Array
- MSpeaker II Video Conferencing Soundbar

### Package B includes

- UVC84 Camera
- VCR20 Remote Control
- 2x VCM34 Microphone Array
- MSpeaker II Video Conferencing Soundbar

### Package C includes

- UVC84 Camera
- VCR20 Remote Control
- MSpeech USB Speakerphone
- BYOD Box

### Yealink UVC84 Camera

- 4K sensor
- 80° FoV
- 12x optical zoom, 3x digital zoom
- Pan: ±100°, Tilt: +40°, -90°
- Auto Framing
- Camera presets

### UVC84 Connections

- 1x USB2.0 Type-B port
- 1x Yealink microphone port (RJ-45)
- 1x 3.5mm line-out port
- 1x Power port
- 1x Security lock slot
- 1x Reset slot

### VCM34 Array Microphone

- Built-in 3-microphone array
- 360° 20ft (6-meter) voice pickup range
- Cascade connection up to 6 units
- Mute button with bicolor LED

### MSpeaker II Soundbar

- Frequent response 100Hz - 20KHz
- S/N ≥70dB
- 1 x Line-in (3.5mm)

### MSpeech USB Speakerphone

- 3 MEMS microphone array for HD voice pickup
- 4W HD Speaker
- 360° 20ft (6-meter) voice pickup range
- Full-duplex technology
- Acoustic echo cancellation (AEC)

### Yealink BYOD Box

- 2x USB3.0 Type-A port
- 1x HDMI output
- 1x 1.5m Type-C cable for connecting to laptop, support charging via USB-C on laptop
- 1x Type-C port for power adapter
- PD power adapter

### Package Features (Package A)

- N.W/CTN: 5.7Kg
- G.W/CTN: 6.7Kg
- Carton Meas: 595mm x 422 mm x 232mm

### Package Features (Package B)

- N.W/CTN: 6.1Kg
- G.W/CTN: 7.1Kg
- Carton Meas: 595mm x 422 mm x 232mm

### Package Features (PackageC)

- N.W/CTN: 4.7Kg
- G.W/CTN: 5.3Kg
- Carton Meas: 398mm x 285mm x 322mm

### Other Physical Features

- External Yealink Power Adapter for UVC84 and MSpeaker II: AC 100~240V input and DC 48V/0.7A Output
- Operating humidity: 10~95%
- Operating temperature: 0~40°C

## About Yealink

Yealink (Stock Code: 300628) is a global brand that specializes in video conferencing, voice communications and collaboration solutions with best-in-class quality, innovative technology and user-friendly experience. As one of the best providers in more than 140 countries and regions, Yealink ranks No.1 in the global market share of SIP phone shipments (Global IP Desktop Phone Growth Excellence Leadership Award Report, Frost & Sullivan, 2019).

## Copyright

Copyright © 2021 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

## Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.  
Web: [www.yealink.com](http://www.yealink.com)  
Addr: No.1 Ling-Xia North Road, High Tech Park,  
Huli District, Xiamen, Fujian, P.R.C  
Copyright©2021 Yealink Inc. All right reserved.